



FORMATE PUBLICATION LIST

- Howard, S., Leon, S., Løchen, J., Abrahams, B., van Oort, E. (April 2019). Formate Fluid Design, Testing, and modeling for Slim-Hole and Coiled Tubing Operations. AADE-19-NTCE-111, April 2019.
- Gul, S., Johnson, M. D., Karimi Vajargah, A., Ma, Z., Hoxha, B. B., & van Oort, E. (2019, March 4). A Data Driven Approach to Predict Frictional Pressure Losses in Polymer-Based Fluids. Society of Petroleum Engineers. doi:10.2118/194132-MS
- Van Oort, E., Pasturel, C., Bryla, J., & Ditlevsen, F. (2019, March 1). Improved Wellbore Stability in North Sea Lark and Horda Shales Through Shale/Fluid-Compatibility Optimization. Society of Petroleum Engineers. doi:10.2118/184661-PA
- Sigarev, S., Kustaryov, D., Prokhorov, A., Nikitin, P., Samoylov, M., & Koltypin, O. (2018, October 15). Bazhenovskaya Suite of Severo-Demyanskoe Field: Multi Fracturing Well Completion ‐ Story of Success. Society of Petroleum Engineers. doi:10.2118/191724-18RPTC-MS
- Ryabtsev, P. L., Khomutov, A. Y., & Korolev, A. V. (2018, October 15). The First Experience of Formate Based Drilling Fluids Application in Russia. Society of Petroleum Engineers. doi:10.2118/191503-18RPTC-MS
- Løchen, J. & Leon, S.: "Total E&P Norge benefits from new fluid strategy for drilling and completions". World Oil, June 2018.
- Oort, E. van. (2018, March 6). How to Test for Compatibility Between Fluids and Shales. Society of Petroleum Engineers. doi:10.2118/189633-MS
- Howard, S. (2018). "Answering Borehole Stability Challenges In Difficult Shale". Hart's E&P, February 2018.
- Jøntvedt, E., Fjeldheim, M., Løchen, J., Howard, S., Leon, S., Busengdal, C., & Richard Gyland, K. (2018, February 7). Deployment of Cesium Formate Drill-In and Openhole Completion Fluid in the Martin Linge High Pressure, High Permeability Gas Reservoir Enhances Total's Operational Efficiency and Radically Improves Well Performance. Society of Petroleum Engineers. doi:10.2118/189550-MS
- Downs, J., & Fleming, N. (2018, February 7). Evaluating Formation Damage Predictions Drawn from HPHT Core Flooding Tests on Brent Group Sandstone Reservoir Cores with Heavy Formate Drill-in Fluids: A Case Study from the Huldra Field. Society of Petroleum Engineers. doi:10.2118/189530-MS
- Downs, J. D., Howard, S. K., & Anderson, Z. Q. (2018, February 7). Rates of Permeability Restoration in Tight Gas-Bearing Sandstone Cores Following Long-Duration Exposure to Cesium Formate Fluids under HPHT Conditions - A Detailed Laboratory Investigation. Society of Petroleum Engineers. doi:10.2118/189502-MS
- van Oort, E., Howard, S. (2017): "Shale Stabilization by High-Salinity Formate Drilling Fluids". AADE-17-NTCE-111, April 2017.
- Howard, S., Anderson, Z., van Oort, E. (2017): "HPHT Formation Fluid Loss Control without Bridging Particles". AADE-17-NTCE-110, April 2017.
- Vajargah, A. K., Sullivan, G., Johnson, M., van Oort, E. (2017): Transitional and Turbulent Flow of Drilling Fluids in Pipes: An Experimental Investigation". AADE-17-NTCE-042, April 2017.
- Oort, E. van, Pasturel, C., Bryla, J., & Ditlevsen, F. (2017, March 14). Improved Wellbore Stability in Tor/Ekofisk Wells through Shale-Fluid Compatibility Optimization. Society of Petroleum Engineers. doi:10.2118/184661-MS
- Rinde, T., Killie, R., Howard, S. K., Solli, L., & Lillelokken, N. (2016, April 20). Impact of New and Ultra-High Density Kill Fluids on Challenging Well-Kill Operations. Society of Petroleum Engineers. doi:10.2118/180047-MS



- Moroni, L. P., Davidson, M., Lam, J., Goonoo, A., Twycross, J., & Howard, S. K. (2016, March 22). Heavy-Duty Cleanup: Caesium Formate-Based Microemulsions Make Light Work of a Tough Job. Offshore Technology Conference. doi:10.4043/26474-MS
- Howard, S. (2016): "Effect of Stress Level on the SCC Behavior of Martensitic Stainless Steel during HT Exposure to Formate Brines". NACE C2016-7613, March 2016.
- Howard, S., Anderson, Z., & Parker, S. (2016, February 24). Solubility of Barium Sulfate in Formate Brines - New Insight into Solubility Levels and Reaction Mechanisms. Society of Petroleum Engineers. doi:10.2118/179021-MS
- Howard, S., Busengdal, C. (2016): "Cesium/potassium Formate Fluids Are Clearly Faster Than OBM". Exploration & Production Magazine, January 2016.
- Fleming, N., Moland, L. G., Svanes, G., Watson, R., Green, J., Patey, I., ... Howard, S.: "Formate Drilling & Completion Fluids: Evaluation of Potential Well Productivity Impact, Valemon". SPE-174217-MS, June 2015.
- Howard, S., Kaminski, L., & Downs, J.: "Xanthan Stability in Formate Brines - Formulating Non-damaging Fluids for High Temperature Applications". SPE-174228-MS, June 2015.
- Howard, S., Chrenowski, M.: "Formate Brines and their Crystallization Temperatures – New Insight into Fluid Behavior and Measuring Methology", SPE-173741-MS, April 2015.
- Downs, J.: "Time for a Change", Oilfield Technology, April 2015.
- Van Oort, E., Ahmad, M., Spencer, R., Legacy, N.: "ROP Enhancement in Shales through Osmotic Processes", SPE/IADC-173138-MS, March 2015.
- Howard, S.K., Chrenowski, M.: "A Laboratory Evaluation of the Suitability of Cesium Acetate brines as Completion, Workover, Suspension, and Packer Fluids for Extreme/Ultra HPHT Wells – Results of an Extensive Corrosion Testing Program", NACE Paper No 5501, March 2015.
- Siemens, R., Meyer, E.: "Using formate brine and water based drilling fluids to improve drilling performance", Encana, Calgary, September 2014.
- Howard, S., Chrenowski, M.: "Corrosion in Formate Brines - 20 Years of Laboratory Testing and Field Experience", OTC 24983-MS, March 2014.
- Kaarigstad, H., Strachan, C., Fjellstad, V., Gyland, K., Filbrandt, J.D.: "Qualification of Gravel Packing in HP/HT Wells", SPE 168210, February 2014.
- Han, L., Hicking, S.H., Twycross, J., El-Jamali, Patey, I., Green, J.: "Design Considerations and Qualification Testing of High Density Oil Based Completion Fluids for an HPHT Gas Development", SPE 168207, February 2014.
- Carnegie, A.W., Omar, M., Colman, G., Supriyono, H.: "Experience with Formate Fluids For Managed Pressure Drilling and Completion of Subsea Carbonate Gas Development Wells", SPE 165761, October 2013.
- Olsvik, G., Howard, S., Downs, J.: "The Long-Term Production Performance of Deep HPHT Gas Condensate Fields Developed Using Formate Brines", SPE 165151, June 2013.
- Kaminski, L., Downs, J.D., Howard, S.K.: "Clearly Cloudy – Finding a Clouding Glycol System for Formate Brines", Poster presentation at the 20th SPE Bergen One Day Seminar, April 2013.
- Setiawan, T.B., Bin Omar, M.M., Bin Sulaiman, M.Z., Bin Musa, M.Z., Fadzli, M., Nesan, T.P., Wuest, C.H., Shaun, J., Toralde, S., Sridharan, P.A.: "Managed Pressure Drilling With Solids-Free Drilling Fluid Provides Cost-Efficient Drilling Solution for Subsea Carbonate Gas Development Wells". SPE 164573, April 2013.
- Mahadi, K.A., Izzat, M., Nizam, M., Ogbonna, C., Jadid, M.B.: "First Subsea Completion by an Operator in KN Field, Offshore Malaysia". IPTC 16697, March 2013.
- Kaminski, L., Howard, S., Downs, J.: "Clearly Different", Oilfield Technology Magazine, July 2012.
- Grosse-Sommer, A., Sava, X., Gilbert, Y.: "Applying Life Cycle Assessment to Evaluate the Sustainability of Completion Fluids", SPE 150654, April 2012.

- Downs, J.D.: "Exposure to Phosphate-based Completion Brine under HPHT Laboratory Conditions Causes Significant Gas Permeability Reduction in Sandstone Cores". IPTC 14285, February 2012.
- Al-Ghazal, M.A., Al-Sagr, A.M., Al-Driweesh, S.M.: "Evaluation of Multistage Fracturing Completion Technologies as Deployed in the Southern Area gas Fields of Saudi Arabia". The Saudi Aramco Journal of Technology, Fall 2011.
- Cooper, P., Galford, J., Goodyear, G., Moake, G.L., Truax, J.: "Borehole and invasion Effects of Formate-Based Mud System on LWD Density, Neutron, PE, and Gamma-ray Logs". SPE 147297, November 2011.
- Downs, J.: Life Without barite: Ten Years of Drilling Deep HPHT Gas Wells With Cesium Formate brine". SPE 145562, October 2011.
- Zwaag, C.H., Svanes, G.S., Schiefloe, B.S., Ibragimova, Z., Austmo Moeller, K., Vikanes, H., Lund Smørðal, C., Pederesen, G.E., Bringsjord, K.L.: "Reduced Solids Oil Based Completion Fluid for horizontal HPHT Openhole Completions", SPE 144163, June 2011.
- Fitnawan, E.A.Y., Hovland, S., Schiefloe, B.S., Møller, K.A.: "Successful Design and Practices Shaping Up a Robust HPHT Well Completion Concept for Subsea-Horizontal Wells". OTC 21476, May 2011.
- Richmond, M., Hutton, A., Davidson, M., Howard, S., Frost, B. Leon, S., Jaspars, M.: "Cutting the Cost of HP/HT Cleanups: Novel High Density Cleanup Package Enables Brine Reclamation and Reduces Costs", SPE 140117-MS, March 2011.
- Downs, J.D.: "Leasing encourages sustainable chemical use", Oil & Gas Technology magazine, Winter 2010.
- Downs, J.D, Turner, J.B. and Howard, S.: "A Well Constructed Chemical", Oilfield Technology magazine, September 2010.
- Salgaonkar, L., Ali, R., Danait, A., Salahudin, S.: "Strategies for Removal of Formate Brine-Based Drill in Fluid (DIF) Filtercake in Gravel-Packed Completions: A Laboratory Evaluation." SPE 130199 MS, June 2010.
- Downs, J.D.: "A Review of the Impact of the use of Formate Brines on the Economics of Deep Gas Field Development Projects." SPE 130376, January 2010.
- King, L. and Benton, W.: "Cracking Protection", Oilfield Technology magazine, August 2006.
- Downs, J.D.: "Observations on Gas Permeability Measurements under HPHT Conditions in Core Materials Exposed to Cesium Formate Brine." SPE 121649-PP, May 2009.
- Ginest, N., Al-Sagr, A., Al-Malki, B., Al-Khawajah, M., Jones, C., Morgan, Q., Parry, K.: "A Successful Expandable Sand Screen Case History in a Deep, Corrosive Gas Well Application." SPE 122847, May 2009.
- Simpson, M., Al-Reda, S., Foreman, D., Guzman, J., Al-Fawzy, M.: "Application and recycling of Sodium and Potassium Formate Brine Drilling Fluids for Ghawar HT Gas Wells." OTC 19801, may 2009.
- Howard, S. and Downs, J.D.: "Formate Brines for HPHT Well Control – New Insight into the Role and Importance of the Carbonate/Bicarbonate Additive Package." SPE 121550, April 2009.
- Roy, A., Twynam, A., Parke, J., Morrison, A., Downs, J.: "Perforating Techniques and Use of Cesium Formate Kill Pills to Maximize Productivity in HP/HT Gas Wells and Minimize HSE Risks." Journal of Petroleum Technology, Vol. 61, No. 4, April 2009, Pages 70-72.
- Gilbert, Y., Kumpulainen, A., Syrjanen, M.: „New Tool Assists Informed Purchasing Decisions Based on Overall Cost and HSE Risk Potential of Well Construction Fluids", SPE 120488-MS, March 2009.
- Calderon, A., Aragão, A.F., Chagas, C.M., Guimarães, C., Barbedo, R.: "The Challenges and Advantages of Openhole Completions in the Manati Gas Field", IPTC 12364, December 2008.
- Qureshi, A., Ali, M., Preining, P.: "Pushing the Limits: Improving Drilling Performance of High Temperature Gas Wells in Thar Desert in Sindh, Pakistan", SPE 115319-MS, October 2008.
- Ezell, R., Harrison, D.J.: Design of Improved High Density, Thermally Stable Drill-In Fluid for HTHP Applications", SPE 115537, September 2008.



- Howard, S. and Downs, J.D.: "Formate Brines Effective in HP/HT Wells", The American Oil & Gas Reporter, August 2008.
- McRae, J. Bump, D., Van Dike, E., Phillips, G., Dick, M.: "Shale Inhibition Strategies for Reservoirs Containing Reactive Clay – Experiences Drilling High Angle Wells in Bohai Bay", OTC 19320, May 2008.
- Roy, A., Twynam, A., Parke, J., Morrison, A., Downs, J.: "An Evaluation of Perforating Techniques and Use of Caesium Formate Kill Pills to Maximise Productivity in HPHT Gas Wells and Minimise HSE Risks", OTC 19242, May 2008.
- Black, A.D., Bland, R.G., Curry, D.A., Ledgerwood, L.W., Robertson, H.A., Judzis, A., Prasad, U., Grant, T.: "Optimization of Deep Drilling Performance With Improvements in Drill Bit and Drilling Fluid Design", IADC/SPE 112731, March 2008.
- Howard, S.K. and Downs, J.D.: "Hydrothermal Chemistry of Formate Brines and Its Impact on Corrosion in HPHT Wells", SPE 114111, May 2008.
- Gordon, W., Pittman, I., Rydlewicz, M., Innes, R.: "HP/HT WCCL Technology Aids Successful Deployment Perforating Operations on the Glenelg Field", SPE 113835, April 2008.
- Gilbert, Y. Kumpulainen, A., Pessala, P., and Ravio, T.: "HSE Risk Monetization and Well Construction Fluids: Presenting a Method for Comparing the Costs Associated with Fluid-related HSE Risk and its Consequences", AADE-08-DF-HO-30, April 2008.
- Howard, S. and Downs, J.D.: "Formate brines in extreme HPHT well construction operations – Do they have limitations?". AADE-08-DF-HO-11, April 2008.
- Downs, J.: "Seven years of successfully constructing difficult North Sea HPHT wells using cesium formate brine", World Oil, March 2008.
- Syltøy, S., Eide, S.E., Torvund, S., Berg, P.C, Larsen, T., Fjeldberg, H., Bjørkevoll, K.S., McCaskill, J., Prebensen, O.I., Low, E.: "Highly Advanced Multitechnical MPD Concept Extends Achievable HPHT Targets in the North Sea", SPE 114484, January 2008.
- Downs, J., Wang, J., Carnegie, A.: "Engineering a Revolution in Drilling and Completion Fluid Technology – The Development and Deployment of Cesium Formate Brine", Asia Pacific Oil and Gas E&P Conference, Beijing, 17-18th January 2008.
- Gilbert, Y., Nordone, A., Downs, J., Vaahtera, A., Ravio, T.: "REACH and the HSE Case for Formate Brines", IPTC 11222-PP, December 2007.
- Gilbert, Y., Vaahtera, A., Ravio, T.: "Formate Fluids and Environmental Regulations: A global view of benefits and challenges": SPE 110891, November 2007.
- Downs, J.D.: "Formate brines as high-performance drilling and completion fluids for challenging HPHT wells – What have we learnt from a decade of field use?", presentation to IQPC HPHT conference, Aberdeen, 19-20 November 2007.
- Omland, T.H., Dahl, B., Saasen, A., Taugbøl, K., Amundsen, P.A.: "Optimization of Solids Control Opens Up Opportunities for Drilling of Depleted Reservoirs", SPE 110544, October 2007.
- Downs, J.D.: "Formate brines as non-damaging drill-in and completion fluids for HPHT wells – what have we learnt from the first 100 jobs?", presentation to IQPC Formation Damage Control conference, Kuala Lumpur, 10-13 September 2007.
- Brown, A., Farrow, C., and Cowie, J.: "The Rhum Field: A Successful HP/HT Gas Subsea Development (Case History)", SPE 108942, September 2007.
- Brangetto, M., Pasturel, C., Gregoire, M., Ligertwood, J., Downs, J.D., Harris, M. and Turner, J.B.: "A review of the performance of cesium formate brines as workover and suspension fluids in the World's largest HPHT field development", presentation to the IADC World Drilling Conference, Paris, 13-14 June 2007.
- Brangetto, M. et al: "Caesium formate brines used as workover, suspension fluids in HPHT field development", Drilling Contractor, May/June 2007.
- Downs, J.D., Harris, M., Benton, W., Howard, S.K., Billingham, M.: "New insights into the potential for environmental cracking of corrosion resistant alloys in high-density formate and bromide well completion brines at high temperature," NACE 07097, 2007.



- Berg, P.C., Pedersen, E.S., Lauritsen, Behjat, N., Hagerup-Jenssen, S., Howard, S., Olsvik, G., Downs, J.D., Harris, M., Turner, J.: "Drilling, Completion, and Openhole Formation Evaluation of High-Angle Wells in High-Density Cesium Formate Brine: The Kvitebjørn Experience, 2004-2006", SPE 105733, February 2007.
- Downs, J.D. and Carnegie, A.: "Formate brines as high-performance drilling and completion fluids for challenging HPHT wells – What have we learnt from a decade of field use?", presentation to IQPC Asia Pacific Drilling Summit, Bangkok, 27-28 February 2007.
- Al-Bazali, T.M., Zhang, J., Chenevert, M.E., Sharma, M.M.: "Factors Controlling the Membrane Efficiency of Shales When Interacting With Water-Based and Oil-Based Muds", SPE 100735, December 2006.
- Pedersen, B.K., Pedersen, E.S., Morriss, S., Constable, M.V., Vissapragada, B., Sibbit, A., Stoller, C., Almaguer, J., Evans, M., Shray, F., Grau, E. Fordham, E., Minh, C.C., Scott, H., McKeon, D.: "Understanding the Effects of Cesium/Potassium Formate Fluid on Well Log Response – A Case Study of the Kristin and Kvitebjørn Fields, Offshore Norway", SPE 103067, September 2006.
- Hansen, S.A., Breivik, D.H., Gjønnnes, M., Svanes, K., Vujovic, M., Svela, P.E., Sørheim, O.I.: "Drilling Fluids in an HPHT Reservoir: Experiences with three Different Systems on the Kristin Field Development", SPE 103336, September 2006.
- Fuh, G.F., Ramshaw, I., Freedman, K., Abdelmalek, N.: "Use of Reservoir Formation Failure and Sanding Prediction Analysis for Viable Well-Construction and Completion-Design Options", SPE 103244, September 2006.
- Downs, J.D., Leth-Olsen, H.: "Effect of Environmental Contamination on the Susceptibility of Corrosion Resistant Alloys to Stress Corrosion Cracking in High-Density Completion Brines", SPE 100438, May 2006.
- Downs, J.D., Blaszcynski, M., Turner, J., Harris, M.: "Drilling and Completing Difficult HP/HT Wells With the Aid of Cesium Formate Brines – A Performance Review", SPE 99068, February 2006.
- Oswald, R.J.: "Taking Nondamaging Fluids to New Extremes: Formate-Based Drilling Fluids for High-Temperature Reservoirs in Pakistan", SPE 98391, February 2006.
- Bradshaw, R.J. et al.: "Formate-Based Drilling Fluid Resolves High-Temperature Challenges in the Natuna Sea", SPE 98347, February 2006.
- Downs, J.D., Howard, S.K., Carnegie, A.: "Improving Hydrocarbon Production Rates Through the Use of Formate Fluids – A Review", SPE 97694, December 2005.
- Leth-Olsen, H., Downs, J.D., Benton, W., Carnegie, A.: "Inhibition of CO₂ Corrosion by Formate Fluids in High Temperature Environments", Chemistry in the Oil Industry IX, EOSCA, Royal Society of Chemistry, Manchester, November 2005.
- Gjønnnes, M., Myhre, I.G.: "High Angle HPHT Wells". SPE 95478, June 2005.
- Galford, J., Truax, J., Moake, G.L.: "Borehole and Formation Invasion Effects of Formate-Based Mud Systems and Nuclear Logs". Paper # LL. SPWLA 46th Annual Logging Symposium, June 26-29, 2005.
- Lo Piccolo, E., Scoppio, L., Nice, P.I.: "Corrosion and Environmental Cracking Evaluation of High Density Brines for Use in HPHT Fields", SPE 97593, May 2005.
- Leth-Olsen, H.: "CO₂ Corrosion in Bromide and Formate Well-Completion Brine", SPE 95072, May 2005.
- Howard, S.K., Downs, J.D.: "Formate Fluids Optimize Production Rates", AADE-05-NTCE-05, April 2005.
- Zuvo, M. et al: "High-Resolution Environmental Survey around an Exploration Well Drilled with Formate Brine in the Barents Sea, Norway", SPE 94477, March 2005.
- Simpson, M.A., Al-Reda, S., Al-Khamees, S., Zhou, S., Treece, M., Ansari, A.: "Overbalanced Pre-Khuff Drilling of Horizontal Reservoir Sections With Potassium Formate Brines", SPE 92407, March 2005.
- Leth-Olsen, H.: "Corrosivity of oilfield brines acidified by CO₂." Hart's E&P, November 2004.
- Santodomingo, L.: "Formiatos Como Fluido De Completacion." Sheflu Cempo, 2004.
- Leth-Olsen, H., Downs, J.D., Carnegie, A., Benton, W.: "Inhibition of Carbon Dioxide Corrosion by Formate Brines in High



- Temperature Environments.” Chemistry in the Oil Industry IX, EOSCA, Royal Society of Chemistry, Manchester, 1 November 2005.
- Scoppio, L., Nice, P.I., Nødland, S., Lo Piccolo, E.: “Corrosion and Environmental Cracking Testing of a High-Density Brine for HPHT Field Application,” NACE 04113, 2004.
- Leth-Olsen, H.: “CO₂ Corrosion of Steel in Formate Brines for Well Application,” NACE 04357, 2004.
- Taugbøl, K., Lilledal, L., Juel, H., Svanes, K., Jakobsen, T.M.: “The Completions of Subsea Production Wells Eased by the Use of a Unique, High-Density, Solids-Free, Oil Based Completion Fluid,” SPE 87126, March 2004.
- D. Messler, D. Kippie, M. Broach, D. Benson: “A Potassium Formate Milling Fluid Breaks the 400°Fahrenheit Barrier in a Deep Tuscaloosa Coiled Tubing Clean-out.”, SPE 86503, Feb 2004
- Van Oort, E.: “On the physical and chemical stability of shales”, Journal of Petroleum Science and Engineering, 38 (2003) 213-235.
- Rommetveit, R., Fjelde, K.K., Aas, B., Day, N.F., Low, E., Schwartz, D.H.: “HPHT Well Control; An Integrated Approach”, OTC 15322, May 2003.
- Stenhaug, M., Erichsen, L., Fokko, H.C., Parrott, R.A.: “A Step Change in Perforation Technology Improves Productivity in Horizontal Wells in the North Sea”, SPE 84910, October 2003.
- Rabe C., Barettona Fontoura, A.G.: “Effect of Organic Salts in the Physico-Chemical Properties of Shales”, 12th Panamer Soil Mech & Geotech Eng Conf/39th US Rock Mech (Soil & Rock Amer 2003) (Cambridge Mass 06/22-26/2003) Vol. 12 pp, 795-800 (2003).
- Metoc plc: “Formate Brines Environmental Assessment”, METOC Report No. 1147, April 2003.
- Peer-Group International Ltd.: “Formate Fluid QRA”, IDM-ENG-052-PGI-001, 2003.
- Benton, W., Harris, M., Magri, N., Downs, J., and Braaten, J.: “Chemistry of Formate Based Fluids”, SPE 80212, 2003.
- Slay, J.B. and Ray, T.W.: “Fluids Compatibility of Elastomers in Oilfield Completion Brines”, Paper 03140, Corrosion 2003.
- Hallman, J.H., Bellinger, C.E.: “Potassium Formate Improves Shale Stability and Productivity in Underbalanced Drilling Operations”, CDE 2003-028.
- Jiang, P., Taugbøl, K., Mathisen, A.M., Alterås, E., Mo, C.: “New Low-Solids Oil-Based Mud Demonstrates Improved Returns as a Perforating Kill Pill”, SPE 83696, February 2003.
- Bhatnagar, M., Kuman, A., Barthwal, A.K., Pal, K., and Josh, N.P., “Formate Brine Drilling Fluid System for Drilling Slim Holes”, Petrotech 2003, New Dehli, January 2003.
- Saasen, A. Jordal, O.H., Burkhead, D., Berg, P.C., Løklingholm, G. Pedersen, E.S., Turner, J., and Harris, M.J.: “Drilling HT/HP Wells Using a Cesium Formate Based Drilling Fluid”, SPE 74541, 2002.
- Lomba, R.F.T.; de Sa, C.H.M; Brandao, E.M.; A New Approach to Evaluate Temperature Effects on Rheological Behavior of Formate-Based Fluids”, Journal of Energy Resources Technology, Vol. 124, p. 141, Sep 2004.
- Byrne, M., Paty, I., Downs, J.D., and Turner, J.: “Formate Brines: A Comprehensive Evaluation of their Formation Damage Control Properties Under Realistic Reservoir Conditions”, SPE 73766, 2002.
- McKey, R. and Hallman, J.: “Low Concentration of Formate Fluids Improve Drilling in Water-Based Muds in Difficult Shale Environments in Western Canada”.
- Hallman, J., Mackey, R., Schwartz, K.: “Enhanced Shale Stabilization with Very Low Concentration Potassium Formate / Polymer Additives”, SPE 73731, 2002.
- Swoboda, C.: “Optimizing HighTemperature Kill Pills: The Åsgard Experience”, SPE 76639, 2002.
- Guo, P., Gilchrist, W.A., Page, G., Wills, P., Brown, A.M., and Kay, S.: “Interpretation of Nuclear Logs in Formate-Based Drilling Fluids in a North Sea Well”, SPWLA 43rd Annual Logging Symposium, 2002.



- Weekse, A., Grant, S., Urselman, R.: "Expandable Sand Screen: Three World Records in the Brigantine Field", SPE 74549, February 2002.
- Downs, J.D.: "Last Advances in the Development of Ecological Drilling Fluids", IBC Asia conference, Offshore/Upstream Asia-Pacific 2002.
- Downs, J.D.: "Advances in the Development of Ecological Drilling Fluids" IBC 10th Annual Conference, London March 2002.
- Jiang, P., Taugbøl, K., Mathisen, A.M., Alterås, E., Mo, C.: "New Low-Solids OBM Demonstrates Improved Returns as Perforating Kill Pill", SPE 73709, February 2002.
- Cobianco, S., Bartosek, M., Lezzi, A. and Guarneri, A.: "New Solids Free Drill-in Fluid for Low Permeability Reservoirs", SPE 64979, 2001.
- Zuvo, M. and Askø, A.: "Drilling Technology : Na/K formulate brine used as drilling fluid in sensitive Barents Sea wells", Offshore, August 2001.
- Bungert, D., Maikranz, S. Sundermann, R., Downs, J., Benton, and W., Dick, M.A.: "The Evolution and Application of Formate Brines in High Temperature/Pressure Operations", SPE 59191, 2000.
- McKay, G, Bennett, C.L., Gilchrist, J.M.: "High Angle OHGP's in Sand/Shale Sequences : A Case History Using a Formate Drill-in Fluid", SPE 58731, 2000.
- Benton, W. Turner, J.: "Cesium formate fluid succeeds in North Sea HPHT field trials", Drilling Contractor, May/June 2000.
- Swoboda, C.: "Optimizing High-Temperature Kill Pills: The Åsgard Experience", SPE 57568, 1999.
- Hands, N., et al.: "Optimising a Long Multi-Lateral Gas Well's Inflow Performance," World Oil 73, April 1999.
- Hands, N., Kowbel, K., Maikranz, S., and Nouris, R.: "Drill-in fluids reduces formation damage, increases production rates", Oil & Gas Journal, 96:28, 7/13/1998.
- Chenevert, M.E.: "Drilling Fluid Optimization in Shales. Swelling Pressure and Compressive Strength of Shale, Topical Report", Prepared for Gas Research Institute, Contract No. 5093-210-2898, December 1998.
- Fadnes, F.H., Jakobsen, T., Bylov, M., Holst, A., and Downs, J.D.: "Studies on the Prevention of Gas Hydrates Formation in Pipelines using Potassium Formate as a Thermodynamic Inhibitor", SPE 50688, 1998.
- OSCA: "High Temperature Horizontal Drilling. Flexible Formate/Bromide System Drills Overbalanced, Underbalanced", OSCA, 1998.
- Svendsen, Ø., Saasen, A., Vassøy, B., Skogen, E., Mackin, F., and Normann, S.H.: "Optimum Fluid Design for Drilling and Cementing a Well Drilled with Coiled Tubing", SPE 50405, 1998.
- Hands, N., Francis, P., Whitle, A., and Rajasingam, D.: "Optimising Inflow Performance of a long Multi-Lateral Offshore Well in Low Permeability Gas Bearing Sandstone: K14-FB 102 Case Study", SPE 50394, 1998.
- Chenevert, M. and Pernot, V.: "Control of Swelling Pressures Using Inhibitive Water Based Muds", SPE 49263, 1998.
- Samsonsen, B., Jacobsen, B. G., Skagestad, T., & Kerr, S. (1998, January 1). Drilling and Completing a High-Angle Well With Coiled Tubing Technology. Society of Petroleum Engineers. doi:10.2118/48941-MS
- Brady, M.E., Craster, B., Getliff, J.M., and Reid, P.I.: "Highly Inhibitive, Low Salinity Glycol Water Based Drilling Fluid for Shale drilling in Environmentally Sensitive Locations", SPE 46618, 1998.
- Davidson, E. and Stewart, S.: "Open Hole Completions: Drilling Fluid Selection", SPE 39284, 1997.
- Van Oort, E.: "Physico-Chemical Stabilization of Shales", SPE 37263, 1997.
- Bishop, S.R.: "The Experimental Investigation of Formation Damage due to Induced Flocculation of Clays within a Sandstone Pore Structure by High Salinity Brine", SPE 38156, 1997.



- Gallino, G., Guameri, A., Maglione, R., Nunzi, P., and Xiao, L.: "New Formulations of Potassium Acetate and Potassium Formate Polymer Muds Greatly Improved Drilling and Waste Disposal Operations in South Italy", SPE 37471, 1997.
- Müller, M.: Perforation der Rotliegend-Horizontalbohrung Söhlingen Z3A." DGMK-Frühjahrstagung 1997, Fachbereich Aufsuchung und Gewinnung, Celle, DGMK-Tagungsbericht 9701, ISBN 3-931850-18-8.
- Sundermann, R., "Bohr- und Komplettierungsspülmittel," Deutsches Patentamt, DE 196 09 194 A1, 11 September 1997.
- Howard, S.K., Houben, R.J.H., van Oort, E., and Francis, P.A.: "Formate Drilling and Completion Fluids – Technical Manual", SIEP 96-5091, Shell International Exploration and Production B.V., 1996.
- Trautwein, R., Sundermann, R. and Bungert, D.: "Kalium-Formiat-Lösungen für Bohr- und Komplettierungs-Flüssigkeiten in tiefen Rotliegend-Gasbohrungen," paper presented Berichte, DGMK-Frühjahrstagung 1996, Fachbereich Aufsuchung und Gewinnung, Celle, DGMK Tagungsbericht 9602, ISBN 3-931850-03-X.
- Abou-Sayed, I.S., Chambers, M.R. and Mueller, M.W.: "Mobil Completes Deep, Tight, Horizontal Gas Well in Germany," Petroleum Engineer International 42, August 1996.
- Sundermann, R. and Bungert, D.: "Potassium-Formate-Based Fluid Solves High Temperature Drill-In Problem," Journal of Petroleum Technology 1042, November 1996.
- van Oort, E., Hale, A.H. Mody, F.K., and Roy, S.: "Transport in Shales and the Design of Improved Water-Based Shale Drilling Fluids", SPE 28309, 1996.
- Ramsey, M.S., Shipp, J.A., Lang, B.J., Black, A., and Curry, D.: "Cesium Formate : Results and Analysis of Drilling with a New High Density Unweighted Brine", SPE 36425, 1996.
- Ramsey, M.S., Shipp, J.A., Lang, B.J., Black, A. and Curry, D.: "Cesium Formate : The Beneficial Effects of Low Viscosity and High Initial Fluid Loss on Drilling Rate – A Comparative Experiment", SPE 36398, 1996.
- Howard, S.K.: "Formate Brines for Drilling and Completion: State of the Art", SPE 30498, 1995.
- Svendsen, Ø., Toften, J.K., Marshall, D.S., and Hermansson, C.L.: "Use of a Novel Drill-in/Completion Fluid Based on Potassium Formate Brine on the First Open Hole Completion in the Gulfaks Field", SPE 29409, 1995.
- Van Vliet, J., Bour, D.L., and Griffith, J.E.: "Slimhole Cementing – Analysis and Possible Solution of the Problem", SPE 30511, 1995.
- Downs, J.D, Killie, S., Whale, G.F., and Inglesfield, C.: Development of Environmentally Benign Formate-Based Drilling and Completion Fluids", SPE 27143., 1994.
- Brinkhorst, J.W.: "Optimisation of Drilling Fluid and Clean-Up Operations in Rogan South, Draugen Field, Norway," presented at the Horizontal Well Technology Forum, Aberdeen, 24-25 January 1994.
- Downs, J.D.: "Formate Brines: Novel Drilling and Completion Fluids for Demanding Environments", SPE 25177, 1993.
- Downs, J.D.: "Formate Brines: New Solutions to deep Slim Hole Drilling Fluid Design Problems", SPE 24973, 1992.
- Downs, J.D.: "High Temperature Stabilisation of Xanthan in Drilling Fluids by the Use of Formate Salts," in Physical Chemistry of Colloids and Interfaces in Oil Production, Editions TechNet, Paris, 1991.
- Clarke-Sturman, A.J. and Sturla, P.L.: "Aqueous Polysaccharide Compositions," European patent 259 939, 16 March 1988.